



Concha marina, aequi-vel inaequaliter umbonata, rostro umbonis oblique incurvata, ^{quae} ^{est} ⁱⁿ ^{angulo} ^{interiore} ^{ostii} ^{inter} ^{musculos} ^{inter} ^{meros} ^{ca} ^{colu} ^{tion} ^{sub} ^{le} ^{bell} ^{golum} ^{brag} ^{gulis} ^{ob} ^{der} ^{id} ^{ma} ^{ed} ^{...}

Sunt Concha marinae aequilaterae notabiliter umbonatae et oblique incurvatae subrotunda in lignite ventricosa umbone eminentiore, carne seu rostro crassiore, ac oblique incurvatae versus unum conchae latius, ut quali cyrum integrum efformet, unius valve rostro ab alterius leni biliter separato, et seorsim in angulo ostii. Valvarum superficie externa, qua sibi invicem committuntur, latere rostri incurvati notabiliter continente, et quali spongiae efformante, ex altero vero latere, ubi ligamentum articulationis intervae, quasi plana existente.



Cor marinum subrotundum, mediocre in externa superficie, quasi omnino laeve, tenuissimis rugulis circum oblique lignei coloris: interne laxissimum mare reliquiarum concharum, ac albuma exsistit, et a qualibet facie est representatum. Bucarilla Bon. oz.

